





SINGLE AXLE TANKERS





GT1750

Price €23800

GT2000

Price €28280





GT2450

Price €33005

GT2750

Price €35550



GT3000

Price €40910

Premium features as standard

- · Full length sight tube
- Full commercial axle 10 stud, 150mm2 and stepped (expect GT3000)
- · Hydraulic brakes (air option)
- Full moulded chassis
- · Sprung drawbar
- · Full implosion rings double welded
- · 4 fill points
- 6mm high tensile S355 Special Grade steel tank
- · Side inspection + back stone trap
- Seam weld rotational & welded internally + externally
- · Full LED road lights
- · PTO shaft protection
- Full anti-roll Butterfly Baffler
- Walterscheid PTO Shaft
- · Back sight bubble

TANDEM/TRI AXLE TANKERS





GT3000

Price €50400

GT3500 Price €53200





GT4000

Price €58800

GT4500 Price €67200

Premium features as standard (tandem/tri axle)

- · Full length sight tube
- Full commercial axle 10 stud, 150mm2
- Air over hydraulic brakes (air option)
- · Press formed full length chassis
- Sprung drawbar
- · Full implosion rings double welded
- 4 fill points
- 6mm high tensile S355 Special Grade steel tank
- Rear steering axle
- · 20ft suction hose
- Splash plate

- Side inspection + back stone trap
- Seam weld rotational & welded internally + externally
- · Full LED road lights
- · PTO shaft protection
- Full anti-roll Butterfly Baffler
- · Walterscheid PTO Shaft
- · Back sight bubble
- · swivel hitch
- 13,500L Battioni Pump

all prices exclusing VAT all tanks to your spec bespokle

DRIBBLE BARS







7.5 metre Price €17206

10 metre Price €21980

7.5 metre T/Shoe €21980









Features for all Dribble bars

- · Alrena Macerator from Bomech
- The Alrena macerator can be run dry or with slurry
- Can be washed internally by plugging a water pipe to an externally mounted pipe on the macerator
- · Chasis mounted
- Galvanised and lasered booms incredibly light without compromising on strength
- TAMS approved
- · Can retrofit to any type/brand of tanker
- Operate the dribble bar from the of the cab using our simple control box.

- Full spring breakaways are fitted (dribble bar only)
- · High-quality LED lighting
- · Eligible for government grant subsidies
- Hydraulic motor mounted away from the macerator to avoid sucking slurry into the back end of the tractor
- Air added to the slurry for even spread and avoiding pulsation
- · Fitted with its own stone trap beneath the macerator
- The Macerator is fed from the bottom to avoid road slurry spill when finished spreading



GT100

Mower: PZ drum mower 2.2

Cutting width (m):

Blades per drum: Waltershield P-Line PTO: Series 6

 Radial pin protection: 600 Nm

Power requirement: - 85 H.P.

Standard tyres:- 19.45/17

60mm pivot pivot pin on bronze bush insert

Floor rollers all bronze bushed

Automatic oiler system

Auto fill sensor

Block greasing system

Rear mounted camera



GT120

PZ drum mower Mower:

22

Cutting width (m): Blades per drum:

Waltershield P-Line PTO: Series 6

Radial pin protection: 600 Nm

Power requirement: - 100 H.P.

Standard tyres:-550-45/22.5

60mm pivot pivot pin on bronze bush insert

Floor rollers all bronze bushed

Automatic oiler system

Auto fill sensor

Block greasing system

Rear mounted camera



GT140

Mower: PZ drum mower

Cutting width (m): 22

Blades per drum:

 Waltershield P-Line PTO: Series 6

Radial pin protection: 600 Nm

Power requirement: 120 H.P.

Standard tyres:-550-45/22.5

60mm pivot pivot pin on bronze bush insert

Floor rollers all bronze bushed

Automatic oiler system

· Auto fill sensor

Block greasing system

Rear mounted camera



GT160

Mower: PZ drum mower

2.2

Cutting width (m):

Blades per drum:

• Waltershield P-Line PTO: Series 6

• Radial pin protection: 600 Nm

• Power requirement:- 130 H.P.

Standard tyres:-550-45/22.5

60mm pivot pivot pin on bronze bush insert

· Floor rollers all bronze bushed

· Automatic oiler system

· Auto fill sensor

· Block greasing system

· Rear mounted camera

Optional Extras €'s

- Fold-down rear door discharge
- Steering axle
- Air brakes
- Bespoke colour
- Mudguards
- Reversing lights

- Hydraulic jack
- · Contractors light kit
- Central greasing components
- Mower spacers
- 710 wheels and tyres on GT140
- 620-45/22.5 on GT100









Grass Technology Contractor Grazer Super 6



Premium Features as Standard

- 10 stud Bogie axles. (Twin axle Rear Stearing)
- · Air over hydraulic brakes
- Waltershield P-Line PTO: Series 6
- Elevator full width (2m- top driven, hydraulically)
- Push Frame 100mmx60mm box section
- Steele mower cover & skirts (folding sides)
- 10mm drawbar construction
- · Radial pin protection: 600 Nm
- 80mm pivot pivot pin on bronze bush insert
- Twin motor walking floor & floor rollers all bronze bushed
- Mudgaurds & Mudflaps
- · Automatic oiler system
- · Auto fill sensor rear door
- Block greasing system
- Rear camera system with colour monitor
- · 2 sets of rear highway lights



Model	Mower	Cutting Width (m)	Cubic Metre Capacity	Blades Per Drum	Power Requirement	Tyres
GT Super	6 "Kuhn" Alpine Disc	2.7	26.4	4	150HP	635/650 55R 22.5

Contractor Grazer Super 6 Machine Spec

Grass technology have been the market leader in Zero Grazer production for many years now resulting in the range been highly developed in terms of design and useability resulting in product leading reliability using the Kuhn PZ drum mower and top specification components in our machines. However in the last few years a usage has developed whereby a contractor or large scale Dairy or Beef farmer are cutting many, many loads a day – some in excess of 12. This brought about a design initiative for a large capacity machine that could travel on all terrain for extended usage and lengthening the shoulders of the season, even on some of the extreme ground conditions found in Great Britain and Ireland without damage to ground, tractor or the zero grazer. Whilst we were looking at those parameters we also considered minimizing both maintenance and servicing requirements whilst reducing labour and fuel costs to run this new high usage machine. That resulted in a Wider Mower unit @ 2.6m. Still a Kuhn but an Alpine Disc Mower. Wider 650 tyres and rear steering with air over Hydraulic brakes takes care of handling and stopping. The grass box is LARGE holding up to 8 Tonnes capacity. This is possible in part due to a new full width grass elevator (2m) that is hydraulically driven from the top.

Tanker - Tyre Options (T/A)



Tyre Options for Single Axle Tankers

800/65R32 181/A8 Tyres In Lieu of 28.1R26 Standard (Set of 2)	GT-009334	€1,670 Nett
800/65R32 Radial Tyres 181/A8 in Lieu of Standard Base Spec 181/A8 800/65R32 (Set of	GT-010718	€3000 Nett
2)		
800/65R32 Radial Tyres 181/A8 In Lieu of 28.1 (Set of 2)	GT-010229	€3,802 Nett
900/60R32 Steel Belted Tyres (Set Of 2) In Lieu Of 800/65R32 181/A8 (2750G Tanker	GT-010585	€3,234 Nett
Only)		
1050/50 X R32 Radial 184/A8 (In Lieu Of 800/65R32 Standard)	GT-008392	€7,434 Nett

Tyre Options for Tandem Axle Tankers

580/65R22.5 166D (Set Of 4) In Lieu Of 560/60R22.5	GT-009189	€1,160 Nett
650/55R26.5 Flotation Tyres 170D (Set of 4) In Lieu of 580/65R22.5	GT-009781	€2,009 Nett
710/50R26.5 Flotation Tyres 170D (Set of 4) In Lieu of 580/65R22.5	GT-007543	€2,605 Nett
710/50R26.5 Flotation Tyres 170D (Set Of 4) In Lieu Of 650/55R26.5	GT-010406	€1,133 Nett
750/55R26.5 Flotation Tyres 180D (Set Of 4) In Lieu Of 580/65R22.5	GT-010144	€5,674 Nett
750/60R26.5 Flotation Tyres 180D (Set Of 4) In Lieu Of 650/55R26.5	GT-010407	€5,007 Nett
750/60R30.5 Radial Flotation Tyres (Set of 4) 181D In Lieu of 580/65R22.5 (includes widespread	GT-010021	€7,096 Nett
suspension system) (*)		
750/60R30.5 High Speed Radial Flotation Tyres (Set Of 4) 181D In Lieu Of 650/55R26.5 - 4000G &	GT-010408	€6,639 Nett
4500G Tanker Base Tyres (includes widespread suspension system)		

Tyre Options for Tri-Axle Tankers

650/55R26.5 Radial Flotation Tyres 170D (Set of 6) In Lieu of 580/65R22.5	GT-010126	€3,202 Nett
710/50R26.5 Radial Flotation Tyres 170D (Set of 6) In Lieu of 580/65R22.5	GT-009580	€3,907 Nett
750/60R30.5 High Speed Radial Flotation Tyres (Set Of 6) 181D In Lieu Of 650/55R26.5 -	GT-010451	€14,433 Nett
4000G & 4500G Tanke r Base Tyres (includes widespread suspension system)		100 - 900 000 000



Tanker Optionals Extras (T/A)



GALVANISING

1. 1600-2250 Gallons	GT-010163	€4,009 Nett
2. 2500-2750 Gallons	GT-008341	€4,306 Nett
3. 3000-4000 Gallon	GT-007618	€7,040 Nett

VACUUM PUMPS

TAGGOIII I OIIII O		
1. 11000L Pump in Lieu of 9000L	GT-007016	€398 Nett
2. 13500/14000L Pump in Lieu of 11000L	GT-007351	€822 Nett
Hydraulic Drive 11000L Vacuum Pump in Lieu of PTO version	GT-007005	€1,905 Nett
Hydraulic Drive 14000L Vacuum Pump in Lieu of PTO version	GT-007424	€2,535 Nett
5. Hydraulic Vac Pump Change Over	GT-007001	€302 Nett
6. Hydraulic Gearbox Change Over for Battioni Garda Dual Pumps (Garda only, not Evo Doda)	GT-010336	€1,012 Nett
7. Wide Angle PTO Shaft	GT-007010	€404 Nett

PUMPING OPTIONS

FUNIFING OFFICING		
1. Garda 75 Centrifugal Pump c/w MEC 11000L Vac Pump	GT-008936	€3,457 Nett
2. Doda L35/Battioni Dual Pump 13500L (4" 2 Flange Brass Gate Valve c/w Single Acting	GT-010004	€6,224 Nett
Hydraulic Ram, Must Be Fitted)		
3. Doda L27 – Drawbar Mounted c/w Hydraulic Driven 11000L Vac Pump c/w 4" Valves And	GT-007007	€7,493 Nett
Coupling to Connect to Umbilical System		
4. Doda L35 – Drawbar Mounted c/w Hydraulic Driven 11000L Vac Pump c/w 4" Valves And	GT-007794	€7,923 Nett
Coupling to Connect to Umbilical System		
5. Swivel Outlet 220 Degrees to Suit Manual Discharge Arm	GT-008163	€504 Nett
6. GrassTech Auto Discharge Arm	GT-007013	€2,105 Nett
7. Fully Automatic Non Return Pod To Suit Discharge Arm	GT-000542	€1,064 Nett
Rotating Hydraulic Rain Gun & Feed Pipe Work	GT-007929	€1,245 Nett
9. Rotating Hydraulic Rain Gun & Feed Pipe Work c/w Vertical Tilt	GT-009203	€1,956 Nett
10. Brackets Fitted to Mount Auto Discharge System at Later Stage	GT-009770	€1,054 Nett

PAINT/COATING OPTIONS

TAIRTING OF TIONS		
1. Bespoke Paint Work	GT-008849	€485 Nett
2. Toughline Coating - Internal Anti-Corrosion Coating - Tanks Up To 9m3	GT-009904	€2,039 Nett
3. Toughline Coating - Internal Anti-Corrosion Coating - 11m3 Tank	GT-009905	€2,202 Nett
4. Toughline Coating - Internal Anti-Corrosion Coating - 12.5 Tank	GT-010150	€2,352 Nett
5. Toughline Coating - Internal Anti-Corrosion Coating - 14m3 Tank	GT-009907	€2,603 Nett
6. Toughline Coating - Internal Anti-Corrosion Coating - 16m3 Tank	GT-009908	€2,722 Nett
7. Toughline Coating - Internal Anti-Corrosion Coating - 18m3 Tank	GT-009909	€3,238 Nett
8. Toughline Coating - Internal Anti-Corrosion Coating - 25m3 Tank	GT-010062	€4,087 Nett
9. Expoy Etech - Primed Internal Anti-Corrosion Coating - Tanks Up To 12.5m3	GT-011112	€678 Nett
10. Expoy Etech - Primed Internal Anti-Corrosion Coating - Tanks 14m3-20m3	GT-011113	€935 Net

Tanker - Optional Extras

BRAKE SYSTEMS & AXLES

1. Stepped Axle 420 x 180 (lowers tank by 8")	GT-010034	€639 Nett
2. Single Axle 2 Line Air Brake System in Lieu of std Hydraulic Brakes c/w Load Sensing	GT-007018	€1,011 Nett
3. Single Axle Combined 2 Line Air Brake System c/w Hydraulic Brakes	GT-010513	€1,163 Nett
4. Tandem Axle 2 Line Air Brake System c/w Load Sensing In Lieu Of Hydraulic Brakes	GT-007470	€1,070 Nett
5. Tandem Combined 2 Line Air Braking System c/w Hydraulic Brakes & Load Sensing	GT-007810	€1,310 Nett
6. Tri-Axle 2 Line Air Brake System c/w Load Sensing In Lieu Of Hydraulic Brakes	GT-009771	€1,471 Nett
7. Tri-Axle 2 Line Air Brake System c/w Load Sensing c/w Hydraulic Brakes	GT-010207	€1,776 Nett
Passive Steering axle (sprung suspension kit only)	GT-007673	€1,697 Nett
Positive Hydraulic Steering Axle In-Lieu Of Self Steer Ver.	GT-007420	€3,527 Nett
10. Lifting Axle System, Full Commerical (Per Axle)	GT-008135	€3,035 Nett
11. Air Suspension System, Full Commerical (Per Axle)	GT-008134	€3,239 Nett

LIGHT OPTIONS

Extra Flashing Beacon	GT-007012	€132 Nett
2. LED Work Lights (pair)	GT-007015	€282 Nett
3. LED Flashers on Rear of Tank - Set of 2	GT-007443	€280 Nett
Extra Set LED Rear Highway Lights	GT-008996	€445 Nett
5. Extra Pair of Stalk or Rigid Marker Lights (please specify location)	GT-010334	€236 Nett
6. LED Control Gear*	GT-009768	€404 Nett

LINKAGE OPTIONS

1. Duo Dribble Bar Top Link Attachment Cross-member BKT(matching top BKTS on tanker)	GT-010366	€469 Nett
Dribble Bar Installation 12m-18m On Tanker excl. Linkage	GT-000732	€2,374 Nett
GrassTech Cpt Hydraulic Tanker Linkage	GT-004558	€3,109 Nett
4. Super Heavy Duty Compact Linkage on Tanker to Suit Injector(must be selected for	GT-007853	€5,910 Nett
dribble bars over 15m)		
5. 24m Dribble Bar Installation On Tanker @ GrassTech Works	GT-007426	€3,380 Nett
6. Installation & Fitting of Dribble Bar to Non GT Tanker (Inc. Brackets & Hydraulics)	GT-010669	€2,396 Nett
7. GT Tanker (no linkage) Dribble Bar Attachment Kit Brackets, Hydraulic Lines to Rear,	GT-010161	€1,156 Nett
Hydraulic Gate Valve & 5" Feed Hose		

ELECTRO AND ECOMATICS

Electro Hydraulic Service 3-In-1 Divert Bank	GT-009974	€1,234 Nett
Isobus Control System incl. Hydraulic Valves	GT-011056	€8,264 Nett
4. Full Isobus Pro Control Hydraulics (up to 10 Functions) & Flow Monitoring System for	GT-011070	€12,877 Nett
Complete Machine Control. Must have Isobus Compatible Tractor with Suitable Virtual		
Terminal in Cab		

OVERHEAD BOOM OPTIONS

0.11.11.11.12.12.12.13.13		
Overhead Discharge Boom Hyd Motor Rotation - Galvanised	GT-007014	€4,249 Nett
2. Offset Overhead Discharge Boom Fully Galvanised	GT-010134	€5,097 Nett
3. Extra Hydraulic Rear Valve for Boom/Splash Plate with Y-Piece Hyd Valve for Feeding O/H Boom	GT-010436	€571 Nett
4. Extra Hydraulic Rear Valve For Boom/Splash Plate, Includes Larger 30" Hatch For Access (*)	GT-009116	€589 Nett
5. Over Hedge Boom Brackets	GT-010629	€1482 Net

Tanker - Optional Extras FILL EQUIPMENT OPTIONS

1. Extra Quick Release Fill Valve 6"	GT-006994	€337 Nett
2. Extra Quick Release Fill Valve 8"	GT-009158	€814 Nett
3. 8" Q/R Fill Port c/w Valve in Lieu of 6' Port	GT-007008	€454 Nett
4. Extra 6" Fill Point (Without Valve & Couplings)	GT-007314	€96 Nett
5. Extra Suction Hose c/w Coupling (15ft)	GT-006998	€253 Nett
6. 20ft Suction Hose in Lieu of 15ft	GT-006995	€72 Nett
7. 8" PVC Suction Hose in Lieu of 6" 15ft) C/W Q/R End	GT-010285	€593 Nett
8. 8" Hose Hooks On Side Of Tanker On 1 Side In Lieu of 6" Hooks	GT-010286	€278 Nett
9. 6" GT Red PVC Suction Hose Only (15 Ft) No Coupling	GT -009487	€201 Nett
10. 8" PVC Suction Hose (15 Ft) C/W Q/R End	GT-009864	€663 Nett
11. Single Hose Tray on (one side)	GT-009279	€598 Nett
12. Extra Suction Hose Hangers (one side)	GT-007441	€316 Nett
13. 8" Steel Flange Only Port In Lieu of 6"	GT-008042	€120 Nett
14. 6" Uni Side Auto Fill Arm c/w Fill Pod and Quick Release Coupling on Pod	GT-006996	€3,251 Nett
15. 8" Uni Side Auto Fill Arm & Pod	GT-006997	€4,469 Nett
16. GrassTech Turbo Fill System 6"	GT-007422	€3,484 Nett
17. GrassTech Turbo Fill System 8"	GT-007421	€4,505 Nett
18. Hydraulic Top Fill Hatch (ladder not included)	GT-007000	€2,105 Nett
19. Hydraulic Sliding Top Fill Hatch c/w Lid and Frame	GT-010666	€2,683 Nett
20. Ext. Access Ladder on Tank	GT-009878	€537 Nett
21. Terragator 8" Suction Funnel On Top Of Tanker Piped Internally To Bottom Of Tank	GT-010216	€1,199 Nett
22. Front Port To Be Fitted With Bottom Empty Pipes	GT-007979	€396 Nett
23. Hydraulic Valve On Stone Trap 6"	GT-009186	€348 Nett
24. Adgitation Aguer In Base Of Tank (Hyd Drive)	GT-009730	€5,177 Nett
25. Weight Transfer System Internal Split Emptying	GT-010367	€2,491 Nett
25. Full Size Rear Door/Baffle Modifications'	GT-009246	€5,166 Nett
26. Brackets Fitted to Add 6" Auto Fill Arm at Later Stage	GT-010622	€995 Nett
27. Brackets Fitted to Add 8" Auto Fill Arm at Later Stage	GT-010623	€1,495 Nett

MISC OPTIONS

1. Full Length Acrylic Sight Tube	GT-007123	€532 Nett
2. Extra Sight Glass	GT-007009	€83 Nett
3. Swivel Towing Eye	GT-009767	€463 Nett
4. Dromone Spoon Hitch Implement Female Only(*)	GT-007330	€681 Nett
5. Extra Lower Rubber Mudflaps	GT-009809	€137 Nett
6. Painted Mudguard Extensions - Single Axle Tankers	GT-009829	€668 Nett
7. Galv Mudguards Extensions - Single Axle	GT-010209	€769 Nett
8. Large Storage/Tool Box (125 litre)	GT-009185	€404 Nett
9. Splash Plate For Tanker	GT-007846	€210 Nett
10. Splash Plate in lieu of Standard And Mounting Pipework	GT-010191	€1,387 Nett
11. Hydraulic Sprung Drawbar	GT-009975	€2,643 Nett
12. Drawbar Weights Ballast Kit	GT-009947	€933 Nett
13. 30" Inspection Hatch In Lieu Of Standard	GT-009184	€400 Nett
14. Upper Inspection Hatch In-Lieu Of Standard (*)	GT-007354	€972 Nett
15. 25ft Wash Down Hose Kit (c/w 2" Tanker Outlet)	GT-007011	€223 Nett
16. 2" Wash Down Valve On 4 Bolt Flange Only (*)	GT-010133	€94 Nett
17. Front/Rear Empty System to Allow Spreading Up and Down Slopes	GT-009769	€1,679 Nett
18. 4" 2 Flange Piston Gate Valve, With Hydraulic Ram On Top For Venting c/w 3" Delivery Hose Below Chassis	GT-009278	€628 Nett
19. Oil Can Holder On Side Of Drawbar	GT-010210	€129 Nett
20. Basic Agitation Mixing Auger in Base of Tank (Hyd Drive)	GT-011114	€3,087 Nett

NOTES

NOTES

NOTES





Ireland (South)

Adrian Lyons (+353) 087 067 7711 adrian@grasstech.ie

Ireland (North)

Thomas McParland (+44) 07592 335376 thomas@grasstechnology.co.uk

England, Scotland, Wales

Rob Jones (+44) 07407 102406 rob@grasstechnology.co.uk

Denmark

Jorgen Madson +45 60 94 33 75 www.maksigrass.dk

Denmark/Germany

Mogens Poulsen +45 60 17 81 87 www.m-poulsen.com

Holland/Belgium

Ron Van Laar +31 6 20800336 www.vanlaartech.nl

France

Josh Dijs +33 6 17 26 17 02

